



PHP MARGO
Osprzęt do koparek

PHP Margo Henryk Antczak
Olewin 6
98-300 Wieluń

tel: +48 43 842 80 32
fax: +48 43 842 89 53
Email: margo@margo-antczak.pl

STUMP CRUSHERS

Application areas

- Removal of the entire rootstock from the ground.
- Breaking the rootstock for further processing by using a shredder.
- Reduction of the transport volume through pre-chipping process.
- Allows for large-scale recultivation measures.
- Cleaning the ground to let the plant inventory regrow.

Key facts

- The stump crusher can be mounted to all conventional carrier vehicles.
- Allows for removal and chipping of the root stock in one simple step.
- Rough separation into root material and soil residue directly during the harvest.
- Chipping is possible directly after the harvest in the shredder.
- Powerful cutting mechanism, low service and low-wear are additional benefits of using this stamp crusher.



PHP MARGO
Osprzęt do koparek

PHP Margo Henryk Antczak
Olewin 6
98-300 Wieluń

tel: +48 43 842 80 32
fax: +48 43 842 89 53
Email: margo@margo-antczak.pl



PHP Margo
Olewin 6
98-300 Wieluń
NIP 832 160 71 35

www.margo-antczak.pl



PHP MARGO
Osprzęt do koparek

PHP Margo Henryk Antczak
Olewin 6
98-300 Wieluń

tel: +48 43 842 80 32
fax: +48 43 842 89 53
Email: margo@margo-antczak.pl



PHP Margo
Olewin 6
98-300 Wieluń
NIP 832 160 71 35

www.margo-antczak.pl



PHP MARGO
Osprzęt do koparek

PHP Margo Henryk Antczak
Olewin 6
98-300 Wieluń

tel: +48 43 842 80 32
fax: +48 43 842 89 53
Email: margo@margo-antczak.pl

STUMP CRUSHERS

Model	MK700
DIMENSIONS	<p>The image contains two technical drawings of the MK700 stump crusher. The left drawing is a side view showing the main body and the hydraulic arm with a cutting head. Dimensions include a vertical height of 1192 and a diagonal length of 900. The right drawing is a front view showing the hydraulic cylinders and the cutting mechanism. Dimensions include a top width of 624, a bottom width of 200, and a bottom width of 310.</p>

PHP Margo
Olewin 6
98-300 Wieluń
NIP 832 160 71 35

www.margo-antczak.pl



PHP MARGO
Osprzęt do koparek

PHP Margo Henryk Antczak
Olewin 6
98-300 Wieluń

tel: +48 43 842 80 32
fax: +48 43 842 89 53
Email: margo@margo-antczak.pl

Model	MK900
DIMENSIONS	<p>The technical drawing shows two views of the MK900 excavator bucket. The left view is a side profile showing a vertical dimension of 1505 and a diagonal dimension of 1100. The right view is a top-down perspective showing a width of 768 and two horizontal dimensions at the bottom: 240 and 350.</p>

PHP Margo
Olewin 6
98-300 Wieluń
NIP 832 160 71 35

www.margo-antczak.pl



PHP MARGO
Osprzęt do koparek

PHP Margo Henryk Antczak
Olewin 6
98-300 Wieluń

tel: +48 43 842 80 32
fax: +48 43 842 89 53
Email: margo@margo-antczak.pl

Technical data

	MK700	MK900
Operating weight [T]	12-18	19-26
Weight (without the mounting plate) [kg]	700	1100
Cutting force (depending on operating pressure [T])	Up to 35	Up to 45
Recommended litre capacity[l/min]	60-120	100-190
Recommended operating pressure [Bar]	240-270	240-280